



P17 Tempra Pro IP 44 - LV 16 and 32 A - sockets and plugs



5552 58

| Cat.Nos | Description | MRP* ₹ / Unit | Pack |
|---------------------------------|----------------------------|------------------|------|
| Surface mounting sockets | | | |
| 5551 54 | 200/250 V~, 16 A 2P+E | 650 | 10 |
| 5551 58 | 380/415 V~, 16 A 3P+E | 804 | 10 |
| 5551 59 | 380/415 V~, 16 A 3P+N+E | 850 | 10 |
| 5552 54 | 200/250 V~, 32 A 2P+E | 816 | 5 |
| 5552 58 | 380/415 V~, 32 A 3P+E | 1018 | 10 |
| 5552 59 | 380/415 V~, 32 A 3P+N+E | 1080 | 10 |



5551 88

| | | | |
|---------|----------------------------|-----|----|
| 5551 84 | 200/250 V~, 16 A 2P+E | 404 | 10 |
| 5551 88 | 380/415 V~, 16 A 3P+E | 594 | 10 |
| 5551 89 | 380/415 V~, 16 A 3P+N+E | 626 | 10 |
| 5552 84 | 200/250 V~, 32 A 2P+E | 620 | 10 |
| 5552 88 | 380/415 V~, 32 A 3P+E | 786 | 10 |
| 5552 89 | 380/415 V~, 32 A 3P+N+E | 834 | 10 |



5551 08

| | | | |
|---------|----------------------------|-----|----|
| 5551 04 | 200/250 V~, 16 A 2P+E | 526 | 10 |
| 5551 08 | 380/415 V~, 16 A 3P+E | 586 | 10 |
| 5551 09 | 380/415 V~, 16 A 3P+N+E | 620 | 10 |
| 5552 14 | 200/250 V~, 32 A 2P+E | 696 | 10 |
| 5552 18 | 380/415 V~, 32 A 3P+E | 838 | 10 |
| 5552 19 | 380/415 V~, 32 A 3P+N+E | 886 | 10 |



5551 28

| | | | |
|---------|----------------------------|-----|----|
| 5551 24 | 200/250 V~, 16 A 2P+E | 372 | 10 |
| 5551 28 | 380/415 V~, 16 A 3P+E | 456 | 10 |
| 5551 29 | 380/415 V~, 16 A 3P+N+E | 482 | 10 |
| 5552 34 | 200/250 V~, 32 A 2P+E | 562 | 10 |
| 5552 38 | 380/415 V~, 32 A 3P+E | 642 | 10 |
| 5552 39 | 380/415 V~, 32 A 3P+N+E | 682 | 10 |



0577 22

| | | | |
|---------|---|------|---|
| 0577 21 | For 2 panel mounting sockets With single fixing centres 70 x 70 mm - 16 A | 3724 | 3 |
| 0577 22 | For 1 panel mounting socket With single fixing centres 70 x 70 mm - 16 or 32 A (32 A to be fixed horizontally) | 2234 | 3 |

P17 Tempra - domestic pin configuration 16 A - 250 VA

Flush-mounting boxes



P17 Tempra Pro IP 66/67 LV 16 and 32 A

| Cat.Nos | Polarity | MRP* ₹ / Unit | Pack |
|---------------------------------|----------------------------|------------------|------|
| Surface mounting sockets | | | |
| 5553 54 | 200/250 V~, 16 A 2P+E | 1090 | 5 |
| 5553 58 | 380/415 V~, 16 A 3P+E | 1214 | 5 |
| 5553 59 | 380/415 V~, 16 A 3P+N+E | 1318 | 5 |
| 5554 54 | 200/250 V~, 32 A 2P+E | 1292 | 5 |
| 5554 55 | 200/250 V~, 32 A 3P+E | 2230 | 5 |
| 5554 59 | 380/415 V~, 32 A 3P+N+E | 2418 | 5 |

Panel mounting sockets

| | | | |
|---------|----------------------------|------|---|
| 5553 84 | 200/250 V~, 16 A 2P+E | 796 | 5 |
| 5553 88 | 380/415 V~, 16 A 3P+E | 848 | 5 |
| 5553 89 | 380/415 V~, 16 A 3P+N+E | 900 | 5 |
| 5554 84 | 200/250 V~, 32 A 2P+E | 1014 | 5 |
| 5554 88 | 380/415 V~, 32 A 3P+E | 1160 | 5 |
| 5554 89 | 380/415 V~, 32 A 3P+N+E | 1230 | 5 |

Mobile sockets

| | | | |
|---------|----------------------------|------|---|
| 5553 04 | 200/250 V~, 16 A 2P+E | 976 | 5 |
| 5553 08 | 380/415 V~, 16 A 3P+E | 1214 | 5 |
| 5553 09 | 380/415 V~, 16 A 3P+N+E | 1286 | 5 |
| 5554 14 | 200/250 V~, 32 A 2P+E | 1340 | 5 |
| 5554 18 | 380/415 V~, 32 A 3P+E | 1430 | 5 |
| 5554 19 | 380/415 V~, 32 A 3P+N+E | 1520 | 5 |

Straight plugs

| | | | |
|---------|----------------------------|------|---|
| 5553 24 | 200/250 V~, 16 A 2P+E | 848 | 5 |
| 5553 28 | 380/415 V~, 16 A 3P+E | 930 | 5 |
| 5553 29 | 380/415 V~, 16 A 3P+N+E | 988 | 5 |
| 5554 34 | 200/250 V~, 32 A 2P+E | 1148 | 5 |
| 5554 38 | 380/415 V~, 32 A 3P+E | 1208 | 5 |
| 5554 39 | 380/415 V~, 32 A 3P+N+E | 1280 | 5 |

P17 Tempra Pro IP 66/67 LV 32 A for refrigerated containers

Combined unit, plug and mobile socket for refrigerated containers

| | | | |
|---------|--|-------|---|
| 6571 06 | Combined unit with interlocked switched socket - Double mechanical interlock - Cable glands are not supplied | 17216 | 1 |
|---------|--|-------|---|

* MRP - Maximum Retail Price Inclusive of all taxes including GST.

Bold Cat.Nos are products normally available with Legrand (India) Stockists.
Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order.
Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

P17 Tempra Pro IP 66/67 LV 32 A for refrigerated containers

| Cat.Nos | Polarity | MRP* ₹ / Unit | Pack |
|--|--|------------------|------|
| Combined unit, plug and mobile socket for refrigerated containers | | | |
| 5554 91 | Panel mounting socket | 1328 | 5 |
| 5554 21 | Mobile socket with cable grip Ø12 to 21.5 mm | 1610 | 5 |
| 5554 41 | Straight plug With cable grip Ø12 to 21.5 mm | 1386 | 5 |



5554 59

P17 Tempra Pro IP 66/67 - LV 63 and 125 A

Surface mounting sockets

| | | | |
|---------|-----------------------------|-------|---|
| 5555 54 | 200/250 V~, 63 A 2P+E | 4508 | 2 |
| 5555 58 | 380/415 V~, 63 A 3P+E | 4710 | 2 |
| 5555 59 | 380/415 V~, 63 A 3P+N+E | 4976 | 2 |
| 5556 58 | 380/415 V~, 125 A 3P+E | 13056 | 2 |
| 5556 59 | 380/415 V~, 125 A 3P+N+E | 13840 | 2 |



5555 89

Panel mounting sockets

| | | | |
|---------|-----------------------------|-------|---|
| 5555 84 | 200/250 V~, 63 A 2P+E | 3574 | 2 |
| 5555 88 | 380/415 V~, 63 A 3P+E | 3646 | 2 |
| 5555 89 | 380/415 V~, 63 A 3P+N+E | 3840 | 2 |
| 5556 88 | 380/415 V~, 125 A 3P+E | 10318 | 1 |
| 5556 89 | 380/415 V~, 125 A 3P+N+E | 11032 | 1 |



5555 29

Straight plugs

| | | | |
|---------|-----------------------------|------|---|
| 5555 24 | 200/250 V~, 63 A 2P+E | 3028 | 2 |
| 5555 28 | 380/415 V~, 63 A 3P+E | 3074 | 2 |
| 5555 29 | 380/415 V~, 63 A 3P+N+E | 3370 | 2 |
| 5556 28 | 380/415 V~, 125 A 3P+E | 9152 | 1 |
| 5556 29 | 380/415 V~, 125 A 3P+N+E | 9702 | 1 |



5555 09

Mobile sockets

| | | | |
|---------|-----------------------------|-------|---|
| 5555 04 | 200/250 V~, 63 A 2P+E | 3862 | 2 |
| 5555 08 | 380/415 V~, 63 A 3P+E | 4012 | 2 |
| 5555 09 | 380/415 V~, 63 A 3P+N+E | 4258 | 2 |
| 5556 08 | 380/415 V~, 125 A 3P+E | 13322 | 1 |
| 5556 09 | 380/415 V~, 125 A 3P+N+E | 14122 | 1 |



0573 00

Plugs and sockets

| Cat.Nos | Polarity | MRP* ₹ / Unit | Pack |
|--|---|------------------|------|
| P17 combined unit to be equiped bases with mechanical super-compact sockets | | | |
| Bases for 125 x 220 mm face plates | | | |
| 0573 00 | 16 A, 2P+E IP 44 Interlock | 4550 | 1 |
| 0573 02 | 16 A, 3P+N+E IP 44 Interlock | 5022 | 1 |
| 0573 20 | 16 A, 2P+E IP 55 Interlock | 5106 | 1 |
| 0573 22 | 16 A, 3P+N+E IP 55 Interlock | 5746 | 1 |
| 0577 23 | Mounting plate for 2 super-compact mechanical interlock sockets | 2554 | 1 |




0577 10



0577 05

Example of combined unit configuration



| | | | |
|---------|--|------|---|
| 0577 10 | Surface mounting box - upto 2 sockets | 1066 | 2 |
| 0589 38 | Surface mounting box with 5 module dinrail - upto 2 sockets | 2976 | 1 |
| 0577 05 | Surface mounting box with 12 module dinrail - upto 4 sockets | 6572 | 1 |
| 0577 06 | Surface mounting box with 18 module dinrail - upto 6 sockets | 9198 | 1 |

Face plates 125 x 220 mm without sockets

| | | | |
|---------|------------------------------------|------|---|
| 0577 12 | For 1 x 16 A or 32 - upto A socket | 1010 | 5 |
| 0577 13 | For 2 x 16 A - upto sockets | 1268 | 5 |
| 0577 17 | For 1 x 63 A - upto sockets | 1164 | 5 |
| 0577 15 | Blanking Plate | 856 | 5 |



0577 11



0577 04

| | | | |
|---------|--|------|---|
| 0577 11 | Surface mounting box - upto 3 sockets | 1108 | 3 |
| 0577 20 | Surface mounting box with 5 module dinrail - upto 3 sockets | 3190 | 1 |
| 0577 03 | Surface mounting box with 12 module dinrail - upto 6 sockets | 6812 | 1 |
| 0577 04 | Surface mounting box with 18 module dinrail - upto 9 sockets | 9476 | 1 |

* MRP - Maximum Retail Price Inclusive of all taxes including GST.

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

Plugs and sockets

| | |
|--|---|
| | Face plates 125 x 280 mm without sockets |
| | Cat.Nos Polarity MRP* ₹ / Unit Pack |
| | 0577 18 For 2 x 16 A and / or 32 A sockets 1584 4 |
| | 0577 19 For 1 x 16 A or 32 A socket and 1 x 63 A socket 1490 2 |
| | 0577 14 For 3 x 16 A sockets 1806 4 |
| | 0577 16 Blanking plate 1006 4 |
| | Prisinter panel mounting sockets - IP 44, IK 09 |
| | Panel mounting sockets - inclined IP 44, IK 09 |
| | Mobile sockets - IP 44, IK 09 |
| | Plugs Straight plugs - IP 44, IK 09 |
| | Metra plugs and sockets |
| | Plugs Ivory |
| | Grey |
| | Sockets |
| | 0572 21 250 V, 16 A, 2P+E 6572 1 |
| | 0572 29 250 V, 32 A, 2P+E 7430 1 |
| | 0572 33 415 V, 32 A, 3P+E 8822 1 |
| | 0572 34 415 V, 32 A, 3P+N+E 9636 1 |
| | 0572 95 415 V, 63 A, 3P+N+E, IP 66 21030 1 |
| | 0577 00 Base box for 0572 95 3752 1 |

Hypra industrial plugs and sockets

Hypra industrial plugs and sockets

| Cat.Nos | Description | MRP* ₹ / Unit | Pack |
|----------------|-------------------------------------|-------------------------|-------------|
| Sockets | | | |
| 6500 09 | 240 V, 20 A, 2P+E With blue cap | 210 | 1/5/100 |
| 6500 29 | 240 V, 20 A, 2P+E With ivory cap | 210 | 1/5/100 |
| 6500 11 | 440 V, 20 A, 3P+E With red cap | 282 | 1/5/100 |
| 6500 17 | 440 V, 32 A, 3P+E With red cap | 474 | 1/5/100 |

Plugs and sockets

P17 tempra combined units

With interlocked switched sockets and surface mounting box IP 44

| | |
|--|--|
| | 0566 01 250 V, 16 A, 2P+E 6834 1 |
| | 0566 09 250 V, 32 A, 2P+E 8154 1 |
| | 0566 13 415 V, 32 A, 3P+E 9862 1 |
| | 0566 14 415 V, 32 A, 3P+N+E 10352 1 |

With interlocked switched sockets and surface mounting box IP 55

| | |
|--|--|
| | 0566 21 250 V, 16A, 2P+E 7592 1 |
| | 0566 29 250 V, 32 A, 2P+E 8674 1 |
| | 0566 33 415 V, 32 A, 3P+E 10996 1 |
| | 0566 34 415 V, 32 A, 3P+N+E 11196 1 |

With interlocked switched sockets and surface mounting box IP 44 with DIN rail for 5 module DX³ protection

| | |
|--|--|
| | 0566 41 250 V, 16A, 2P+E 7290 1 |
| | 0566 49 250 V, 32 A, 2P+E 8868 1 |
| | 0566 53 415 V, 32 A, 3P+E 9808 1 |
| | 0566 54 415 V, 32 A, 3P+N+E 10494 1 |

With interlocked switched sockets and surface mounting box IP 66 with DIN rail for 5 module DX³ protection

| | |
|--|--|
| | 0566 61 250 V, 16 A, 2P+E 8168 1 |
| | 0566 69 250 V, 32 A, 2P+E 9478 1 |
| | 0566 73 415 V, 32 A, 3P+E 10232 1 |
| | 0566 74 415 V, 32 A, 3P+N+E 11060 1 |

With interlocked switched sockets and without surface mounting box IP 55

| | |
|--|---|
| | 0572 21 250 V, 16 A, 2P+E 6572 1 |
| | 0572 29 250 V, 32 A, 2P+E 7430 1 |
| | 0572 33 415 V, 32 A, 3P+E 8822 1 |
| | 0572 34 415 V, 32 A, 3P+N+E 9636 1 |
| | 0572 95 415 V, 63 A, 3P+N+E, IP 66 21030 1 |
| | 0577 00 Base box for 0572 95 3752 1 |

P17 tempra combined units with interlocked switched sockets IP 66

| | |
|--|--|
| | 0589 18 380 to 415 V, 50/60 Hz, 63 A, 3P + E with provision for 5 module DX³ protection 22396 1 |
| | 0572 99 380 to 415 V, 50/60 Hz, 63 A, 25238 3P+N+E with provision for 5 module DX³ protection 1 |

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

* MRP - Maximum Retail Price Inclusive of all taxes including GST.