

EXORA MCB 6KA)	1A TO 4A	6A-32A	40A/50A/63A	80A	100A	125A
SP (1 MODULE)	480	294	675	2710	3035	3265
DP (2 MODULE)	1355	970	1565	6005	6405	7050
TP (3 MODULE)	1970	1530	2360	9475	10105	11210
FP (4 MODULE)	2480	2095	2970	12375	12870	14575

(RCCB) RESIDUAL CURRENT CIRCUIT BREAKER, IEC 61008 (ELCB)

RATING (A)	2 POLE (2 MODULE)			RATING (A)	4 pole (4 module)		
SENSITIVITY	30MA	100MA	300MA	SENSITIVITY	30MA	100MA	300MA
25A	3315	3445	3445	25A	4340	4455	4455
40A	3720	3940	3940	40A	4380	4530	4530
63A	4640	4755	4755	63A	4955	5195	5195
100	8100	8200	8200	100	8555	8700	8700

ISOLATORS AC 22A DEVIES USED AS SWITCH DISCONNECTOR IN ELECTRICALS			2 WAY CENTRE OFF CHANGEOVER SWITCHES		
RATING	DP	FP	RATING	DP	FP
40A	590	1330	25A	1710	X
63A	760	1390	40A	2615	4505
80A	970	1560	63A	3045	5110
100A	1010	1685			
EXORA			EXORA		



SPN / TPN DISTRIBUTION BOARDS

ENCLOSURE		S.P.N			T.P.N		
			SINGLE DOOR	DOUBLE DOOR		SINGLE DOOR	DOUBLE DOOR
2 WAY	825	4WAY	1625	2120	4WAY	4465	5210
3 WAY	825	6WAY	1705	2440	6WAY	5525	6490
4 WAY	825	8WAY	1965	2615	8WAY	6520	7790
6 WAY	1280	12WAY	2330	3135	12WAY	9390	11620
		16WAY	2855	3965	16WAY	11450	14420
		18WAY	3320	4150	18WAY	X	X


**MANIBHADRA ELECTRICALS PVT LTD
PRICE -LIST LARSEN & TOUBRO LTD (SWITCHGEAR)**

W.E.F of 1st Feb 2025

POWER CONTACTORS		3 POLE			RELAYS			ELECTRONIC KWH METERS						
		MRP			CAT NO.	RANGE	MRP	RATING	1 PHASE	3 PHASE				
TYPE	CAPACITOR RANGE	CONTACTOR	KIT	COIL	DIRECTLY OPERATED MOUNTING			5-20A	1252 (5-30A)	3030 (5-20A)				
MNX9	6kVAr	1050	555	525	MK1	Upto14A	1070	10-40A		5360				
MNX12	7.5 kVAr	1210	720		MK1	11 to 18 A	1100	10-60 A DIR	2300	6790				
MNX18	9kVAr	1440	790		MK1	13 to 22 A	1215	50-100 A DIR		9840				
MNX22	12.5 kVAr	1640	885		MN-2	Upto6-10A	1750	CT/5 -10 A		6220				
MNX25	15kVAr	1670	905		MN-2	9 to 15 A	1810	PLUS GST Extra						
MNX32	20 kVAr	3550	2110		MN-2	14 to 23 A	1960							
MNX40	20 kVAr	5510	3565		MN-2	20 to 33 A	2890							
					MN-2	24 to 40 A	3040							
MNX50	30 kVAr	7640	3645	1930	MN-5	9-15 & 14-23	3600	KVAR	STD DUTY	HEAVY DUTY	HEAVY DUTY	ULTRA HEAVY	ULTRA HEAVY	
					MN-5	20 to 33 A								
MNX70	35 kVAr	10660	5395		MN-5	30 to 50 A	4490		440V	1 TO 25	1 TO 4	5 TO 15	5 to 25	20 to 25
				MN-5	36 to 60 A	4770								
MNX80	40 kVAr	13310	7420		MN-5	45 to 75 A	5140							
MNX95	65 kVAr	20150	9535		MN-5	66 to 110 A	5860		Cylindrical	266	508	467	1034	1017
MNX110	65 kVAr	24480	13930	3400	MN-12	28-46, 42-69 to 90-150 A	8540							
MNX140	70 kVAr	31230	16740		MN-12	135-225 A	10300							
MNX185	110kVAr	37130	19345		MN-12	180 to 300 A	11180	Box Type	304	565	479	1169	1146	
MNX 225	125kVAr	40870	22365	7760	MN-12	270 to 450 A	14030							
MNX 250	125kVAr	46070	26625			ADD ON AUXILLIARY CONTACT BLOCKS								
					Contacto Type	1 NO + 1 NC	2No+2NC	PLUS GST Extra						
MNX 300		55640	29765	11550	MNX 9 to 80	435	655							
MNX 400	175kVAr	79610	44520	11550	TRIPPER ELCB + MCB			TRIPPER ELCB + MCB (Earth Leakage Circuit Breaker + Miniature Circuit Breaker) Marketed in India by LARSEN & TUBRO LTD.						
MNX 550	250 kVAr	116920	59815	24300	AMP			2 POLE		4 POLE				
MNX 650	300 kVAr	178290	92555	24300	SENSITIVITY			30 MA	100/300 MA	30 MA	100/300 MA			
ML 1.5		4940	2435	970	6 A to 25 A			3935.00	4080.00	4670.00	4565.00			
ML 2		9170	4450	1790	32 A to 40 A			4420.00	4335.00	5040.00	4805.00			
ML 3		13530	7865	1790	63 A			5425.00	5175.00	5970.00	5575.00			
ML 4		22110	11655	3510										
ML 6		34980	21560	3510										
ML 12		79200	45255	7480										

Mail - Legrand099@gmail.com or Whatsapp On  9920873073

MCCB's		MOULDED CASE CIRCUIT BREAKERS CONFIRMING TO IS 13947 (PART-2)												
RATING AMP'S		DU 100D 18KA		DU 100H 30KA		DU 250 C 25KA			DU 250 36KA		TIMER & TIME SWITCHES			
		3 POLE	4 POLE	3 POLE	4 POLE	RATINGS AMP	3 POLE	4 POLE	3 POLE	4 POLE	GIC FM1 QT / J648B1	2615.00		
63 A		5090	6590	5710	7610	160 A	8930	11400	10400	12800				
100 A		5090	6590	5710	7610	200 A	10800	13700	12700	17200				
125 A	DU125D/H	6170	8160	6650	8690	250 A	11900	15700	14200	18800				
		DY-125U 10KA 3 POLE		DY-125U 10KA 4 POLE			320 A DU400N 50KA	21300	26100		SPREADER TERMINAL			
63 A		2380		3190			400 A DU400N 50KA	21300	26100		ITEM	3 POLE	4 POLE	
100 A		2380		3190		Timer				DN1/DN2 250	2020	2680		
125 A		3930		4820		67DDT0	2430			DN3 400	3910	5620		
						MG53BH	2035			DN3 630	4530	5750		
						MG73BH	2000							
D-SINE MCCB's Thermal Magnetic Release		(36 KA) TYPE - S		(50 KA) TYPE - H		ROTARY OPERATING MECHANISM (HANDLE)								
		STD Breaking Capacity		High BreakingCapaci		TYPE		DIRECT. HANDLE		NEW EXTENDED		DN 2 & DN 3		
TYPE	RANGE	3 POLE	4 POLE	3 POLE	4 POLE	DY 125U	1500.00		2160.00		DN2 DIRECT	1650		
DN2-250	100-125	20200	25000	28000	34100	DU 100D / DU 125D / DU 100H / DU 125H	1490.00		1930.00		DN2 Extended	2490		
	125-160	25700	31700	29600	37300	DU 250/250C	1510.00		1940.00					
	160-200	26700	34100	30600	38400	SPREADER	3 POLE		4 POLE		DN3 DIRECT	2470		
	200-250	30000	36100	32800	41200	DY 125U	470.00		740.00		DN3 Extended	4060		
DN3B-400/ DN3-400	250-320	37900	46200	41300	51100	DU 100D / DU 100H	470.00		740.00					
	320-400	37900	46200	41300	51100	DU 125D / DU 125H	610.00		880.00					
DN3-630	400-500	49400	62200	53300	68800	DU 250C / DU 250	1870.00		2480.00					
	500-630	49400	62200	53300	68800									

SFU		SWITCH DISCONNECTOR FUSE UNITS 32A TO 800A confirms to IEC IS 13947 (Pt-3), IEC 60947-3 (Fuse Extra)							HRC FUSE LINKS Rate Per Unit					
									CYLINDRICAL		TYPE HF			
SDF RATING	FN-Interior (Open)	Suitable HRC Fuses	FN in SS Encl (with Box)	Capacitor Duty Contactors-Type MO C		CHANGEOVER SWITCHES (TPN) Type C-LINE			FUSE BASE	RATING AMPS.	Fuse Links			
32A	3030	HF	7120	Size	RATE	Open Exec.	SS ENCL.	2 to 32A HF	2-32A	158.00				
63A	3990	HF	8510	MO C3	2240	5510	9070	185	40A	170.00				
100A	7420	HNOO	13710	MO C5	2340	7360	11450	2 to 63A HF	50A	380.00				
125A	9620	HNOO	15550	MO C8.5	2660	10130	14610	205	63A	440.00				
160A	10350	HNOO	16300	MO C10	2840	13310	18510	DIN TYPE FUSE LINKS TYPE HN						
200A	13970	HNO	23540	MO C12.5	3030	16170	21290	(FN 100/125/160 A)	SIZE - HN 00					
250A	16260	HNI	25940	MO C15	3940	21530	29430	RATING AMPS.		RATE				
315A	19470	HNI	30120	MO C20	4580	22570	30960	63 A		630.00				
400A	23760	HNII	33830	MO C25	5180	33230	45130	80 / 100 A		630.00				
630A	39740	HN III	52800	MO C30	7990	38580	52320	125 A		640.00				
800A	42770	HN III	56100	MO C40	13420	55810	84690	160 A		660.00				
L&T Price List W.E.F of 01/02/2025				MO C50	14340		99590	137120						
				MO C60	16190		132930		(FN 200 A)	SIZE - HN 0				
				MO C75	19050		157190		80 / 100 / 125 A		800.00			
				MO C85	19200		241820		160 A		810.00			
				MO C100	19800				200 A		850.00			
												(FN 250 -315 A)	SIZE - HN I	
												125 A		830.00
												160 A /200 A		890.00
MOTOR STARTERS STAR DELTA														
DOL	IN SS ENCL.				DELTA		FULLY/SEMI AUTOMATIC							
MAX MOTOR OP at 415, 3Ph	RELAY MAX RANGE	DESC RIPTION	RATE PER UNIT	MAX MOTOR OP at 415,	RELAY MAX (A)	TYPE		RATE PER UNIT						
HP	KW			HP	KW	FASD	SASD							
3.0	2.5	12-20	MF1 1Phase	1860	12.5	9.3	9-14	MK-1	12800	10700	(FN 400 A)	SIZE - HN II		
7.5	5.5	9-15	MF1 3 Phase	2460	15.0	11.0	11-18	MK-1	12930	10800	200 A	1250.00		
Upto7.5	5.5	upto 9-14	MK1 DOL	2771	15.0	11.0	13-22	MK-1	13000	10930	250 A	1290.00		
7.5	5.5	11-18	MK1 DOL	2843	15.0		20-32	MK-2	14360	11980	315 A	1320.00		
7.5	5.5	13-22	MK1 DOL	2914	25.0	18.5	13-21	ML-1.5	24700	21800	400 A	1340.00		
7.5	5.5	20-32	MK2 DOL	3440	35.0	26.0	20-32	ML-2	39960	38500				
DOL	Direct ON-Line Star with SPP in SS Encl				50.0	37.5	28-42	ML-3	65400		(FN 630/800 A)			
					75.0	55.0	45-75	ML-4	112000		315 A	1870.00		
					125.0	90.0	66-110	ML-6	183700		400 A	1970.00		
10.0	7.5	9-15	MN-16 DOL	5240	Fully Automatic STAR DELTA WITH SPP						500 A	2030.00		
					MN						630 A	2130.00		
15.0	11	14-23	MN-25 DOL	7990	17.5	13.0	9-15	MN-16	17600		800 A	2640.00		
					30.0	22.5	14-23	MN-25	19700		TERMS & CONDITIONS :			
20.0	15	20-33	MN-32 DOL	12900	40.0	30.0	20-33	MN-32	32400		1) + GST Extra as applicable			
30.0	22.5	30-50	MN-45 DOL	22000	50.0	37.0	30-50	MN-45	52000		2) P&F Extra			
45.0	33.5	45-75	MN-65 DOL	30200	75.0	55.0	45-75	MN-65	86300		3)			
15.0	11	20-32	ML-1.5 DOL		90.0	67.0	45-75	MN-80	94200		3) This price list is subject to change without any prior notice.			
20.0	15	20-32	ML-2 DOL		150.0	110.0	66-110	MN-110	123400		4) This cancels all our previous price lists.			
30	22.5	28-42	ML-3 DOL	27100	180.0	130.0	90-150	MN-140	129200					
Mail - Legrand099@gmail.com or  9920873073														